

[図1]





est Available Con

[図2]




[図3]







[図5]




[図6]




[図7]




[図8]








[図9]





[図10]

DOCKET NO.: 8048-1190 INVENTOR: TAKAHISA NISHIZU ET AL. FILING DATE: SEPTEMBER 25, 2006 TITLE: VOLUME MEASURING DEVICE AND METHOD

11/13


[図11]

## 表1


	マイクロフォンを用いた場合		定電流駆動型増幅器を用いた場合	
	無騒音	騒音下	無騒音	騒音下
標本数	100	100	100	100
変動係数 [%]	0.00173	0.254	0.0238	0.0256

\*変動係数(%):平均値に対する標準偏差の百分率

[図12]



[図13]



## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT

## IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

☑ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY